


Dimensions

Project: Model: Chk'd: Date:

Model EB(H)G

2 HP

Unit: inch



MODEL	WEIGHT – Lb
EBG2-2115(A)	83
EBG2-212C	88
EBHG2-212C	88
EBG2-21	88
EBG2-23	88
EBHG2-21	88
EBHG2-23	88




Dimensions

Project: Model: Chk'd: Date:

Model EB(H)G

3, 5, 7.5, 10HP

Unit: inch



MODEL	WEIGHT – Lb (kg)
EBG-31	190
EBG-33	190
EBG-51	190
EBG-53	190
EBG-103	210
EBHG-31	190
EBHG-33	190
EBHG-51	190
EBHG-53	190
EBHG-71	190
EBHG-73	190



Dimensions – Lift Out Dimensions

Project:

Model:

Chk'd:



Date:

Lift Out Dimensions

Model EB(H)G

3,5, 7.5, 10HP

Unit: inch



Dimensions

Project:	Model:	Chk'd:	Date:
----------	--------	--------	-------

Quick Discharge Connector Model RS1

Model EB(H)G

EBG, 2HP

EBHG, 2HP

RS1 weight = 52 lbs

NOTE: ALL DIMENSIONS ARE IN INCHES.

MATERIALS OF CONSTRUCTION:

BASE ELBOW: CAST IRON


LIFT-OUT FLANGE: CAST IRON

LOWER GUIDE BRACKET: 304 SST

ALL FASTENERS ARE 304 SERIES SST

USEABLE RAIL SIZES: $\frac{3}{4}$ " & 1"

MAXIMUM WEIGHT ALLOWANCE: 200lbs.



Dimensions

Project:	Model:	Chk'd:	Date:
----------	--------	--------	-------


Quick Discharge Connector Model RS3-H

Model EB(H)G

EBG, 3, 5, 10HP

EBHG, 3, 5, 7.5HP

RS3-H weight = 70 lbs


NOTE: ALL DIMENSIONS ARE IN INCHES.**MATERIALS OF CONSTRUCTION:****BASE ELBOW: CAST DUCTILE IRON****LIFT-OUT FLANGE: CAST DUCTILE IRON****LOWER GUIDE BRACKET: 304 SST****ALL FASTENERS ARE 304 SERIES SST****USEABLE GUIDE RAIL SIZES: $\frac{3}{4}$ ", 1", $1\frac{1}{4}$ "****MOUNTING DIMENSIONS**

Dimensions

Project: _____ Model: _____ Chk'd: _____ Date: _____

Upper Guide Brackets


NOTE: MOUNTING SLOTS ARE $\varnothing \frac{7}{16}$
ACCOMMODATES $\frac{3}{4}$, 1 AND 1 $\frac{1}{4}$ INCH PIPE



MODEL NO.	DIA. "A"	DIM "B"	DIM "C"	DIM "D1"	DIM "D2"	DIM "E"
UGB-SS	1 1/2"	10"	2 1/8"	3 7/8"	2 7/8"	7"

Intermediate Guide Brackets

NOTE: IGB-075-SS USED FOR $\frac{3}{4}$ " RAILS
IGB-100-SS USED FOR 1" RAILS
IGB-125-SS USED FOR 1 $\frac{1}{4}$ " RAILS
MOUNTING SLOTS ARE $\varnothing \frac{7}{16}$



MODEL NO.	DIA. "A"	DIM "B"	DIM "C"	DIM "D1"	DIM "D2"	DIM "E"
IGB-075-SS	1 1/2"	10"	2 1/8"	3 7/8"	2 7/8"	7"
IGB-100-SS	1 1/2"	10"	2 1/8"	3 7/8"	2 7/8"	7"
IGB-125-SS	1 1/2"	10"	2 1/8"	3 7/8"	N/A	7"

